



UGORIA Smooth KW 750



UGORIA Grip Gauntlet 765



UGORIA Grip KW 755



UGORIA Smooth Safety Cuff 751



UGORIA Grip Safety Cuff 756

UPDATABLE PHOTOGRAPHS

PTP750-765E – Rev7 – 16.05.07

CATEGORY II CERTIFICATION



UGORIA Smooth KW 750
UGORIA Smooth Safety Cuff 751
UGORIA Grip KW 755
UGORIA Grip Safety Cuff 756
UGORIA Grip Gauntlet 765

CE-Type Examination Certificates

issued by the approved body nr. 0075 (see last page)

C.T.C. – 4 rue H. FRENKEL - F-69367 LYON CEDEX 07

These gloves conform to the provisions of Directive 89/686/EEC
for protection against mechanical risks and cold.

UGORIA 750 – 751 – 755 – 756 – 765

DESCRIPTION AND GENERAL PROPERTIES

750-751: Smooth gloves lined with insulating materials combination coated with **orange PVC**.

755-756-765: Extra rough gloves lined with insulating materials combination coated with **PVC (755-756: orange; 765: grey)**.

Reference	Finish	External Surface	Minimum Length for all sizes (in cm)*	Thickness in the hand (in mm)*	Sizes available
Ugoria Smooth Knit Wrist 750	PVC sprayed	Smooth	28	2.30	10 11
Ugoria Smooth Safety Cuff 751	PVC sprayed	Smooth	28	2.30	10 11
Ugoria Grip Knit Wrist 755	PVC sprayed	Extra rough	28	2.04	10 11
Ugoria Grip Safety Cuff 756	PVC sprayed	Extra rough	28	2.04	10 11
Ugoria Grip Gauntlet 765	PVC sprayed	Extra rough	30	2.04	10

* nominal values

Standard packaging :
750-751: 72 pairs per carton
755-756-765: 48 pairs per carton

"CE"-TYPE EXAMINATION RESULTS



PROTECTION AGAINST COLD Levels of performance according to: EN511:1994 standard.

0 1 1 (750-751)
 0 2 1 (755-756)
 1 2 1 (765)
 | | ↳ permeability (0 or 1)
 | ↳ contact cold (0 to 4)
 ↳ convective cold (0 to 4)

Note : The performance level are determined on the palm area.



PROTECTION AGAINST MECHANICAL RISKS

Levels of performance according to EN 388 standard.

3 1 2 1 (750-751)
 4 2 4 2 (755-756)
 4 2 3 1 (765)
 | | | |
 | | | ↳ puncture resistance (0 to 4)
 | | ↳ tear resistance (0 to 4)
 | ↳ blade cut resistance (0 to 5)
 ↳ abrasion resistance (0 to 4)

UGORIA 750 – 751 – 755 – 756 – 765

SPECIFIC ADVANTAGES

- Specially formulated PVC for coldest environmental use (-30°C) and glove flexibility preservation.
- Alveolar multicoated liners for an optimal thickness/insulation ratio.
- Good resistance to oil, grease and hydrocarbons.
- Good grip properties and abrasion resistance, enhanced for the roughened surface (755-756-765).
- Products range covering most of uses regarding low temperatures handling thanks to its different shapes and grip characteristics.
- High resistance to ageing by U.V., light and ozone.
- 755-756-765: Recommended for persons sensitized to natural rubber proteins.

MAIN FIELDS OF USE

- Handling in Petrochemical Industries
- Maintenance in cold environments
- Warehouse handling, picking and machines driving.
- Building, road maintenance handling and machines driving.
- Food industries: handling and operations in cold stores.
- Transports: platforms and quays handling.

INSTRUCTIONS FOR USE

For enhanced safety and service life of the gloves :

- Store the gloves in their original packaging protected from humidity and heat.
- It is recommended to check that the gloves are suitable for the intended use, because the conditions of use at workplace may differ from the "CE"-type tests.
- Put the gloves on dry, clean hands.
- Ensure the inside of the gloves is dry before putting them on again.

CERTIFICATES NUMBERS

UGORIA 750 : N° 0075/014/162/03/07/0092

UGORIA 751 : N° 0075/014/162/03/07/0092 ext010507

UGORIA 755 : N° 0075/014/162/03/07/0091

UGORIA 756 : N° 0075/014/162/03/07/0091 ext010507

UGORIA 765 : N° 0075/014/062/03/07/0093

"CE" DECLARATION OF CONFORMITY

The Company

MAPA s.n.c.

57, rue de Villiers
BP 190
92205 Neuilly-sur-Seine Cedex - France

declares that the following MAPA PROFESSIONNEL protective gloves :

**UGORIA 750, 751, 755, 756
and 765**

conform to the gloves which are the subjects of the following "CE" certificates of conformity

UGORIA 750: nr 0075/014/162/03/07/0092
UGORIA 751: nr 0075/014/162/03/07/0092 Ex01 0507
UGORIA 755: nr 0075/014/162/03/07/0091
UGORIA 756: nr 0075/014/162/03/07/0091 Ex01 0507
UGORIA 765: nr 0075/014/162/03/07/0093

issued by the notified body nr **0075**

C.T.C.

Rue H. Frenkel - F-69367 LYON CEDEX 07

They conform to the provisions of directive **89/686/CEE**, designed for protection against **mechanical risks and freeze**,

and are manufactured in conformance with the following **European Standards : EN 420, EN 388, and EN 511.**

Prepared at Beauvais, on July 27, 2007

MAPA S.N.C.
57, rue de Villiers
BP 190
92205 NEUILLY - SUR - SEINE Cedex

Nicole OGER
Technical Services Pole