



Vikan Transport System®

Vikan®
TRANSPORT SYSTEM



Vikan Transport System®

Clean cars drive better!

Of course, it may be debateable to state that “Clean cars drive better”. However, most professional drivers value a clean, orderly vehicle, because when a vehicle is well maintained and looks presentable, it sends a clear message to observers that disciplines are under control.

A Clean vehicle does “drive” better, if you consider the following points in today’s climate of high motorway speeds and congested urban roads. Simply by keeping the vehicle’s windows, mirrors and lights clean, the safety of the driver and other road users is improved through the vehicle’s improved visibility.

To this end we have developed Vikan Transport System®, offering the widest range of manual cleaning tools for road vehicle care. All Vikan Transport System® products have been developed in close collaboration with professional users, so they incorporate exactly what the professional user needs.

In developing the cleaning tools, the focus was three pronged: to prevent paint laquer being damaged by scratches, ergonomics and giving every possible consideration to the daily cleaning tasks to ensure that each tool provides optimal results. For instance, many of our brushes are fitted with protective rubber edging so as to avoid any damage to the paint laquer or bodywork. A small detail, but one that makes a big difference. Ergonomically correct tools are also important for the professional user, so that hours of daily use do not unduly strain the arms, neck and shoulders.

People in Denmark, traditionally, use brushes to wash their vehicles, but this is not the case in all countries. In Sweden, for instance, sponges have been preferred for generations, whilst in the U.S.A., a mop-like product is commonly used for vehicle washing. These variations present a significant challenge for Vikan Transport System®, although we are pleased to note that “the Vikan method” is gaining greater and greater acceptance everywhere, as the sure way to achieve a striking bodywork finish for vehicle fleets – whether, trucks, coaches, buses or taxis. Products from Vikan Transport System® are also widely used to prepare new cars, which serves to prove that the products are both gentle and effective at the same time.

Vikan Transport System® is continually being expanded to ensure the best solutions for all cleaning and maintenance requirements.

Hans R. Holst

CEO

Vikan A/S

DS/EN ISO 9001

Vikan A/S has a quality assurance system whose object is to ensure that Vikan A/S’s products always comply with specifications.

DS/EN ISO 14001

Vikan A/S has an environmental management system whose object is to ensure that Vikan A/S can guarantee our customers products made in an environmentally responsible manner.

Contents

| | Page | | Page |
|---|------|--|------|
| Water-fed brushes | 4 | Pipe brushes, floor squeegee, shovel | 8 |
| Alloy wheel, wheel rim and hand brushes | 5 | Brooms | 9 |
| Snow brushes, windscreen squeegees | | Equipment storage systems, water gun, | |
| Wipe-n-shine. | 6 | connectors | 10 |
| Interior brushes, detail brush sets | 7 | Handles | 11 |

Vikan A/S
 Rævevej 1
 7800 Skive
 Denmark
 Tel.: +45 9614 2600
 Fax: +45 9614 2655
 vikan@vikan.com
 www.vikan.com

NiTO A/S
 Postboks 263
 H.C. Ørstedsvvej 4
 6100 Haderslev
 Denmark
 Tel.: +45 7452 6363
 Fax: +45 7453 2220
 nito@nito.dk
 www.nito.com

Vikan UK Limited
 Unit 23, Ash
 Kembrey Park, Swindon
 Wiltshire SN2 8UN
 UK
 Tel.: +44 1793 41 11 30
 Fax: +44 1793 41 11 60
 sales@vikan.co.uk
 www.vikan.co.uk

Vikan France S.A.S.
 Parc d'Activités
 de Limonest
 SILIC 2 (Hall A)
 1, rue des Vergers
 69760 Limonest
 France
 Tel.: +33 4 72 52 05 40
 Fax: +33 4 72 52 05 49
 vikan@vikan.fr
 www.vikan.fr


Vikan GmbH
 Hagenauer Strasse 55
 65203 Wiesbaden
 Germany
 Tel.: +49 0611-23869671
 Fax: +49 0611-23869673
 thenriksen@vikan.com
 www.vikan.de



Vikan AB
 Box 10
 515 21 Viskafors
 Sweden
 Tel.: +46 (0)33 22 20 00
 Fax: +46 (0)33 22 20 20
 E-mail: vikan@vikan.se

Vikan Swish AB
 Box 4 - Rosdalavägen 13
 SE-360 71 Norrhult
 Sweden
 Tel.: +46 474 529 90
 Fax: +46 474 406 86
 E-mail: info@swish.se

Kardell AB
 Trädgårdsvägen 3-7
 748 50 Tobo
 Sweden
 Tel.: +46 (0)295 340 66
 Fax: +46 (0)295 340 63
 office@kardell.se
 www.kardell.se

Vikan Estonia AS
 Kingu tn. 1
 48105 Poltsamma
 Estonia
 Tel.: +372 77 62 460
 Fax: +372 77 62 461
 karwent@hotmail.com





| Product | Type of brush | Size mm HxWxD | Filament mm | Material | No.per box | °C | Applications |
|-----------------------------------|---------------|------------------|----------------|-----------|------------|-----|---|
| Adjustable Water-fed brush | | | | | | | |
| 526852 | Soft/flagged | 140x200x110 | 50 | Polyester | 1 | 110 | The water-fed adjustable head and flared filaments ensure effective surface cleaning at all heights due to maximum filament contact with the surface. |
| Standard Water-fed brushes | | | | | | | |
| 526452 | Soft/flagged | 120x270x65 | 50 | Polyester | 1 | 110 | Efficient vehicle brush suitable for large surfaces. |
| 524752 | Soft/flagged | 110x250x90 | 50 | Polyester | 1 | 100 | Hi/low. The angled shape enables the filaments to be in contact with the surface constantly. With rubber edge. |
| 475052 | Soft/flagged | 80x130x65 | 45 | Polyester | 5 | 100 | For mounting on handles with water channels. Suitable for cleaning of smaller areas. |
| 475552 | Soft/flagged | 130x260x95 | 50 | Polyester | 1 | 100 | An effective all surface water-fed bodywork brush with a protective rubber strip for vehicles up to 3 metres in height. |
| 475752 | Soft/flagged | 120x400x100 | 50 | Polyester | 2 | 100 | An effective all surface water-fed bodywork brush for large areas, up to 3 metres in height. |
| 545252 | Soft/flagged | 110x230x160 | 50 | Polyester | 2 | 110 | Brush for cleaning wheel rims on trucks and buses. |
| Rilsan Water-fed brushes | | | | | | | |
| 526752 | Soft/flagged | 135x200x85 | 50 | Rilsan | 6 | 110 | A more densely filled brush with Rilsan, plus a modified water-flow feature giving improved cleaning productivity. |




| Product | Type of brush | Size mm HxWxD | Filament mm | Material | No.per box | °C | Applications |
|-------------------------------|---------------|------------------|----------------|-----------|------------|-----|--|
| Ergonomic hand brushes | | | | | | | |
| 524652 | Soft/flagged | 145x80x290 | 40 | Polyester | 5 | 110 | The ergonomic design makes this brush comfortable, effective and easy to use, safely, on all surfaces for either dry or wet tasks. |
| Water-fed Hand brush | | | | | | | |
| 525452 | Soft/flagged | 140x55x350 | 50 | Polyester | 5 | 110 | A water-fed hand brush, complete with a Gardena hose connector. Ideal for small cleaning tasks. |
| Rim brushes | | | | | | | |
| 525152 | Stiff | 320xø45 | | Nylon | 13 | 100 | Wheel rim cleaner with nylon scrubber. A safe and effective aluminium rim cleaner. |
| 525352 | Stiff | 330xø70 | 35 | Polyester | 12 | 100 | A dip brush to clean alloy and stainless steel spoked wheels and rims. |
| 525252 | Soft/flagged | 130x45x280 | 45 | Polyester | 9 | 110 | A rubber edged, soft brush. Ideal for cleaning of aluminum wheel rims. |
| Hand brushes | | | | | | | |
| 522252 | Soft/flagged | 410x75x60 | 47 | Polyester | 5 | 100 | A long handled dip brush for general use. |
| 522752 | Soft/flagged | 125x75x245 | 45 | Polyester | 5 | 100 | A short handled dip brush for general use. |




| Product | Type of brush | Size mm HxWxD | Filament mm | Material | No.per box | °C | Applications |
|---|---------------|------------------|----------------|--------------------|------------|---------|--|
| Nylon scourer holder and nylon scourer | | | | | | | |
| 550052 | | 120x230x95 | | Polypropylene | 10 | 130 | This cleaning pad holder with a swivel joint, will remove insects and stubborn soilage with ease, from windscreens, when used with the 552552 white pad. |
| 552552 | | 25x250x120 | | | 10 | 100 | ONLY TO BE USED ON GLASS, this pad will rapidly remove insects & stubborn soilage from windscreens. |
| Snow brushes | | | | | | | |
| 520052 | Stiff | 80x70x500 | 45 | PVC | 10 | -15>+60 | Combination snow brush & "Two-Way" ice scraper. Unbreakable even in Arctic temperatures. |
| 521552 | Stiff | 100x50x340 | 53 | Mixed hair bristle | 10 | -15>+60 | Snow brush for clearing loose snow from vehicle's bodywork and windows. |
| Windscreen squeegee | | | | | | | |
| 473352 | | 700x200x80 | | | 12 | 70 | The sponge has an attached insect net to make cleaning easier. Ideal for all kinds of windows and windscreens. |
| 473552 | | 1000x200x80 | | | 12 | 70 | The sponge has an attached insect net to make cleaning easier. Often used at service stations and wash facilities for washing the windows of goods vehicles and small buses. |
| 473752 | | 500x200x80 | | | 12 | 70 | The sponge has an attached insect net to make cleaning easier. Much used at petrol stations. |
| 473952 | | 740x200x80 | | | 12 | 70 | The sponge has an attached insectnet to make cleaning easier. Ideal for trucks and buses. 600 - 1250 mm. |
| 473852 | | 50x200x80 | | | 24 | 70 | Replacement head for 473352, 473552,473752 and 473952. |
| Wipe-n-shine | | | | | | | |
| 707752 | | 210x250x50 | | Rubber | 6 | 100 | Wipe-n-shine is particularly effective in removing water and lime stains from car paintwork. The soft rubber is gentle on car paintwork and windows. Fits all Vikan handles. |
| 707852 | | 210x350x50 | | Rubber | 6 | 100 | |
| 707952 | | 210x450x50 | | Rubber | 6 | 100 | |
| 293452 | | 165xø34 | | Polypropylene | 10 | 100 | Mini handle. |




| Product | Type of brush | Size mm HxWxD | Filament mm | Material | No.per box | °C | Applications |
|--------------------------|---------------|------------------|----------------|----------------|------------|-----|--|
| Interior brushes | | | | | | | |
| 450052 | Stiff | 80x30x280 | 30 | Polyester | 5 | 100 | A stiff, slim-line brush for cleaning upholstery. |
| 450252 | Soft | 90x35x290 | 45 | Polyester | 5 | 100 | A soft, slim-line brush for interior cleaning. |
| 631552 | Soft | 140xø20 | 40 | Natural hair | 12 | | A versatile brush for removing dust from e.g. dashboards. |
| Dust pan | | | | | | | |
| 558552 | | 170x240x380 | | Metal | 10 | 100 | Metal dustpan which can cope with hot ashes and other hot waste. |
| Radiator brush | | | | | | | |
| 631052 | Stiff | 480xø45 | 20 | Polyester | 10 | 100 | Twisted brush for cleaning radiators in buses. |
| Personal Hygiene | | | | | | | |
| 644052 | Stiff | 40x120x47 | 15 | Polyester | 10 | 100 | Very sturdy nailbrush. |
| Detail brush sets | | | | | | | |
| 556052 | Soft | | | Polypropylene | 5 | 80 | 7-piece brush set. Small brushes in various sizes. |
| 556152 | Soft | | | Wood/ Hair mix | 20 | 60 | 5-piece brush set. Small brushes in various sizes. |
| 556252 | Soft | | | Wood/Pony hair | 10 | 60 | 2-piece brush set. Suitable for smaller damages to the laquer. |
| 556352 | Soft | | | Wood/ Hair mix | 20 | 60 | 3-piece brush set. For minor paint jobs. |
| 556452 | Soft | | | Polypropylene | 10 | 80 | A pair of long handled detail work brushes. |
| S62025 | Soft | | 25 | Wood/Nylon | 10 | 60 | Sealing/joint brush suitable for applying bodywork grease. |



| Product | Type of brush | Size mm HxWxD | Material | No.per box | °C | Applications |
|------------------------|---------------|------------------|------------------------------|------------|---------|--|
| Pipe brushes | | | | | | |
| 537252-80 | Stiff | 200xø80 | Polyester | 10 | 100 | Tanker Transport Delivery Pipe cleaning brush to be used with 535252-1500. |
| 537252-120 | Stiff | 210xø120 | Polyester | 10 | 100 | Tanker Transport Delivery Pipe cleaning brush to be used with 535252-1500. |
| 535252-1500 | | 1500 | Stainless steel | 10 | 121 | 1500 mm flexible stainless steel handle for Pipe & Tube brushes. |
| Floor squeegees | | | | | | |
| 708852-40 | | 400x100x65 | PP with oil-resistant rubber | 12 | 70 | Efficient floor squeegee for dealing with water and oil. Oil-resistant rubber. |
| 708852-60 | | 6000x100x65 | PP with oil-resistant rubber | 12 | 70 | Efficient floor squeegee for dealing with water and oil. Oil-resistant rubber. |
| Shovel | | | | | | |
| 561552 | | 950x270x150 | Polypropylen | 5 | -18>+70 | The shovel is ideal for clearing snow or as safety equipment for ADR-driving. |



| Product | Type of brush | Size mm HxWxD | Filament mm | Material | No.per box | °C | Applications |
|-----------------------|---------------|------------------|----------------|-----------|------------|-----|---|
| Brooms | | | | | | | |
| 310652 | Soft | 120x300x60 | 55 | Polyester | 5 | 100 | Broom for sweeping in buses and garages. |
| 310852 | Stiff | 120x400x60 | 60 | PVC | 5 | 60 | Workshop broom, suitable for wet or oily waste. |
| Street broom | | | | | | | |
| 251452 | Stiff | 180x310x80 | 100 | Polyester | 10 | 60 | Broom ideal for outdoor use. |
| Workshop broom | | | | | | | |
| 311752 | Stiff | 150x620x80 | 65 | PVC | 1 | 60 | Workshop broom, ideal for wet or oily waste. |
| 311552 | Stiff | 140x400x75 | 65 | PVC | 1 | 60 | Workshop broom, ideal for wet or oily waste. |



| Product | Size mm HxWxD | Material | No.per box | °C | Applications |
|---------------------------------|------------------|------------------------|------------|---------|---|
| Equipment Storage System | | | | | |
| 061052 | 65x245x115 | Aluminium | 1 | 100 | A totally flexible & effective tool storage and protection system. |
| 061552 | 55x240x165 | Glasfibre/polypropylen | 6 | 100 | A totally flexible & effective tool storage and protection system. |
| Water gun | | | | | |
| 071152 | 170x55x140 | Rubber-coated | 1 | 60 | A very durable, low pressure water gun that can deliver max 25 bar. The trigger will adjust from needle jet to fan jet spray with ease. |
| Jet nozzle | | | | | |
| 071052 | 120x70x38 | Polypropylene | 1 | 100 | The nozzle is ideal for rinsing wheel arches clean, or for applying wax. |
| Connectors | | | | | |
| 070052 | 35x30x30 | Nickel-plated brass | 1 | -30>+80 | For 1/2" and 3/4" tap connector. Max.10 bar pressure. |
| 070152 | 45x30x30 | Nickel-plated brass | 1 | -30>+80 | 1/2" Hose connector. Max. 10 bar. |
| 070652 | 80x45x30 | Nickel-plated brass | 1 | -30>+80 | 1/2" Water Stop hose connector. Prevents tangling of hoses. Water cut-off on disconnection. Max. 10 bar. |
| 070752 | 60x30x30 | Nickel-plated brass | 10 | -30>+80 | Quick coupling and Gardena hose coupling. Max. 10 bar. |
| 071252 | 30x25x25 | Nickel-plated brass | 1 | -30>+80 | Quick connector with 1/2" thread. For mounting in Dinga gun. |
| 071552 | 35x30x30 | Nickel-plated brass | 1 | -30>+80 | Quick connector with 3/4". |
| 071652 | 45x35x35 | Nickel-plated brass | 1 | -30>+80 | Hose connector with 3/4". |
| 071752 | 20x30x30 | Nickel-plated brass | 1 | -30>+80 | Connecting socket with 1/2" and 3/4". |



| Product | Size mm | Material | No.per box | °C | Decriptions |
|--|---------------|-----------|------------|----|---|
| Ergonomic handle | | | | | |
| 293752 | ø34x1500 | Aluminium | 10 | 50 | Ergonomic handle with insulated grip. |
| Ergonomic flow-through handles | | | | | |
| 299152 | ø34x1600 | Aluminium | 10 | 50 | Ergonomic water-fed handle with insulated grip. |
| 299152Q | ø34x1600 | Aluminium | 10 | 50 | Ergonomic water-fed handle with insulated grip and quick connector. |
| 299252 | ø34x1020 | Aluminium | 10 | 50 | Ergonomic water-fed handle with insulated grip. |
| 299252Q | ø34x1020 | Aluminium | 10 | 50 | Ergonomic water-fed handle with insulated grip and quick connector. |
| 299752 | ø34x1900 | Aluminium | 10 | 50 | Ergonomic water-fed handle with insulated grip. |
| 299752Q | ø34x1900 | Aluminium | 10 | 50 | Ergonomic water-fed handle with insulated grip and quick connector. |
| Ergonomic telescopic handles | | | | | |
| 297152 | ø50x1000-1600 | Aluminium | 5 | 50 | Ergonomic water-fed handle with insulated grip. |
| 297152Q | ø50x1000-1600 | Aluminium | 5 | 50 | Ergonomic water-fed handle with insulated grip and quick connector. |
| 297352 | ø50x1630-2750 | Aluminium | 2 | 50 | Ergonomic water-fed handle with insulated grip. |
| 297352Q | ø50x1630-2750 | Aluminium | 2 | 50 | Ergonomic water-fed handle with insulated grip and quick connector. |
| 297552 | ø50x1630-2750 | Aluminium | 2 | 50 | Ergonomic handle with insulated grip. |
| Wooden handles | | | | | |
| 292513552 | ø34x1440 | Wood | 10 | 60 | Wooden handle with screw-thread. |
| 292515552 | ø34x1550 | Wood | 10 | 60 | Wooden handle with screw-thread. |
| Ergonomic water-fed handle with on/off control-grip | | | | | |
| 299552Q | ø34x1630 | Aluminium | 10 | 50 | Ergonomic water-fed handle with insulated grip and quick connector. |



| Vikan A/S | Rævevej 1 | DK - 7800 Skive | Tlf. +45 9614 2600 |
| Fax +45 9614 2655 | Email · vikan@vikan.com | www.vikan.com |

 **Vikan**
PROFESSIONAL
CLEANING SOLUTIONS